Higher Tier Formulae Sheet

Perimeter, area and volume

Where a and b are the lengths of the parallel sides and h is their perpendicular separation:

Area of a trapezium = $\frac{1}{2}(a + b)\,h$

Volume of a prism = area of cross section × length

Where r is the radius and d is the diameter:

Circumference of a circle = $2\pi r = \pi d$

Area of a circle = πr^2

Quadratic formula

The solution of $ax^2 + bx + c = 0$

where $a \neq 0$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Pythagoras' Theorem and Trigonometry



In any right-angled triangle where a, b and c are the length of the sides and c is the hypotenuse:

$a^2 + b^2 = c^2$

In any right-angled triangle ABC where a, b and c are the length of the sides and c is the hypotenuse:

$$\sin A = \frac{a}{c} \quad \cos A = \frac{b}{c} \quad \tan A = \frac{a}{b}$$



In any triangle ABC where a, b and c are the length of the sides:

sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2}\,a\,b \sin C$

Compound Interest

Where P is the principal amount, r is the interest rate over a given period and n is number of times that the interest is compounded:

Total accrued = $P\left(1 + \frac{r}{100}\right)^n$

Probability

Where P (A) is the probability of outcome A and P (B) is the probability of outcome B:

P (A or B) = P (A) + P (B) – P (A and B)

P (A and B) = P (A given B) P(B)

END OF EXAM AID